

Gard Plasticscases

World class quality & choice

Evolution



Concept



Classic



Designer



Storm



Interiors





Models both great and small
 Whatever your needs our range is sure to satisfy. From compact minicases for delicate items to military and industrial equipment. We deliver!
 In order to help you gauge the sizes we've included hand held items.
 (e.g. above, from left to right: im2600, T2007, R1, M193 and G1)

Global appeal whatever the occasion



World beating attention to detail
 All our catches and hinges are guaranteed to last many years



Guaranteed to travel well
 Tough and durable, they're made to withstand all the elements




All colours in this brochure are a guide only and may vary. E&OE.

Call 01622 871 887 or visit www.gardplasticases.com

Evolution Cases

- Ideal for Product Promotion and Protection
- 7 Standard Colours available
- Custom made inserts in low and high density materials
- Silk Screen Logos for Corporate Branding or written messages
- Other colours available for larger quantities

For size comparison this is model M193



All cases on this page are to the same scale so you can compare them with the hand picture at the top

The GARD range

Concept Cases

- Practical and Modern Design
- 3 depths per size
- Continuity design and shape through the range
- Custom made inserts from high and low density foams
- Ideal for component "kitting"
- Other colours available for larger quantities

For size comparison this is model CM90



For full details refer to the technical data sheets

Classic Cases

- Over 22 models in a more Traditional style
- Standard colours available
- Compact and Practical
- Perfect for Ultimate Product Protection
- Custom Made inserts fitted across the range
- Other colours available for larger quantities

For size comparison this is model G1



P5

P3

D2

D1

D4

G1

M1

M2

R4

R3

R2

For full details refer to the technical data sheets

All cases here are to the same scale so you can compare them with the hand picture

The PLASTiCASE range

For size comparison this is model R1



T7



choice of clip colours




B2



B1

A1



C1

FS1



For full details refer to the technical data sheets



L1

R1



All cases here are to the same scale so you can compare them with the hand picture

For size comparison this is model iM2600

iM2975

iM2600

iM2075

iM2050

iM2750

iM2720

iM2400

iM2300

iM2100

Rock Solid

- Waterproof design with tongue and groove locking lid
- Excellent impact resistance resin, even at extreme temperatures
- Unique Press & Pull latches won't pop open when dropped
- Vortex™ auto pressure release valve auto-adjusts to changing environments
- Soft-grip handle with tough rigid core
- Standard cubed foam available
- Optional panel-mount system of sealed rivets and aluminium rails for equipment attachment and custom fit
- Moulded-in hasp for high security and easy padlocking
- Future models planned

The cases above are to the same scale so you can compare them with the hand picture at the top



The STORM range

- Computers & electronics
- Military ordnance
- Audio broadcast equipment
- Environmental analysis instruments
- Telecommunications equipment
- Musical instruments
- Aviation equipment
- Testing & measuring instruments
- Marine oceanography equipment
- Medical instruments
- Trade show & demonstration materials

See more custom made inserts on the back cover

Heavy duty latches for added security

Stud detail on strap option



iM2950

iM3300

iM2720

iM2600

iM2500

iM2400

iM2300

iM2750

iM2500

iM2100

iM2200

Buy online at www.gardonlineshop.com



Contrasting clips add an extra dimension to the contemporary style



Sizes great and small

great colour range



excellent clip-lock action



See more custom made inserts on the back cover

The TEKNO range


Deluxe Cases

- Comprehensive Range of Sizes
- Modern "Eye catching" Design
- Interchangeable Coloured Clips
- Custom made inserts in low and high density materials
- Silk Screen Logos for Corporate Branding or written messages
- Other colours available for larger quantities

For size comparison this is model T2007

For full details refer to the technical data sheets

choice of clip colours



standard colours

All cases here in this lower group are to the same scale so you can compare them with the hand picture

ABS Executive Cases

- Manufactured from durable ABS
- Key Lockable
- Various inserts available including "Hard" and "Soft" foams
- Document and Tool wallets
- Stayed Hinges
- Ideal for Tool storage and transportation plus much more
- Extensive range of standard sizes available



See more custom made inserts on the back cover



Executive cases are available in black only



Tools not included

Specialist and Flight Cases


PolyBoxes

- Made to your specification.
- Constructed from 1.4 or 3mm Polypropelene sheet material
- Internal 6mm wire frame
- Drop on or hinged lid
- Webbing strap handles or briefcase handles
- Available with Aluminium hybrid
- 2" and 4" Castors.
- Plywood strengthening for heavier items
- Protective plastic corners



Aluminium Cases

- Recessed butterfly catches (padlocking, keylocking or overlatching)
- Recessed flip handles
- Leather strap handles
- Stayed hinges (surface or recessed)
- Piano and stayed hinges on large cases
- Lift off hinges also available
- Component storage
- Photographic equipment



Heavy duty latches for added security

IDEAL FOR:-
 Test equipment.
 Musical instruments.
 D.J.'s
 Exhibition equipment.
 Component storage
 Photographic equipment



A choice of protection levels to suit all types of equipment

Depending on your requirements we can line or pad the cases in various ways:
Vacuum formed mouldings in a choice of styles. Die-cut foam in either rigid, firm and soft, or supply standard foam inserts.



Tailored on site to your specific needs

We have everything to enable us to customize cases to suit your specific requirements from vacuum formed mouldings, die-cut foam inserts, pockets, wallets. We can even brand the cases for you.



Let others see you as you would like to be seen - anywhere in the world

Quality presentation is a keynote of the service we offer to all our customers.























Gard Plasticases Limited, Arnold Business Park, Branbridges Road, East Peckham, Nr. Tonbridge, Kent **TN12 5LG**

Call 01622 871 887 or visit www.gardplasticases.com













GARD technical data sheet

1st March 2006

The GARD range with colour lids

	<table border="1"> <tr><td>blk</td><td>wht</td><td>l = 326mm</td></tr> <tr><td></td><td></td><td>w = 90mm</td></tr> <tr><td></td><td></td><td>d = 40mm</td></tr> </table>	blk	wht	l = 326mm			w = 90mm			d = 40mm	 <p>M189</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 262mm</td></tr> <tr><td>blk</td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td>blu2</td><td>d = 70mm</td></tr> </table>	red	grn	l = 262mm	blk	wht	w = 215mm		blu2	d = 70mm	 <p>CS70 A5 Format</p>					
blk	wht	l = 326mm																										
		w = 90mm																										
		d = 40mm																										
red	grn	l = 262mm																										
blk	wht	w = 215mm																										
	blu2	d = 70mm																										
	<table border="1"> <tr><td>red</td><td>grn</td><td>yel</td><td>l = 162mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 123mm</td></tr> <tr><td>blu2</td><td>blu109E</td><td></td><td>d = 40mm</td></tr> </table>	red	grn	yel	l = 162mm	blk		wht	w = 123mm	blu2	blu109E		d = 40mm	 <p>M197</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 262mm</td></tr> <tr><td>blk</td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td>blu2</td><td>d = 90mm</td></tr> </table>	red	grn	l = 262mm	blk	wht	w = 215mm		blu2	d = 90mm	 <p>CS90 A5 Format</p>		
red	grn	yel	l = 162mm																									
blk		wht	w = 123mm																									
blu2	blu109E		d = 40mm																									
red	grn	l = 262mm																										
blk	wht	w = 215mm																										
	blu2	d = 90mm																										
	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 220mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 165mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 42mm</td></tr> </table>	red	grn	l = 220mm	blk		wht	w = 165mm			blu2	d = 42mm	 <p>M2000 A5 Format</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 60mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 60mm	 <p>CM60 A4 Format</p>	
red	grn	l = 220mm																										
blk		wht	w = 165mm																									
		blu2	d = 42mm																									
red	grn	l = 345mm																										
blk		wht	w = 290mm																									
		blu2	d = 60mm																									
	<table border="1"> <tr><td>red</td><td>grn</td><td>yel</td><td>l = 220mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 165mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 42mm</td></tr> </table>	red	grn	yel	l = 220mm	blk		wht	w = 165mm			blu2	d = 42mm	 <p>M2005 A5 Format</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 90mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 90mm	 <p>CM90 A4 Format</p>
red	grn	yel	l = 220mm																									
blk		wht	w = 165mm																									
		blu2	d = 42mm																									
red	grn	l = 345mm																										
blk		wht	w = 290mm																									
		blu2	d = 90mm																									
	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 232mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 168mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 60mm</td></tr> </table>	red	grn	l = 232mm	blk		wht	w = 168mm			blu2	d = 60mm	 <p>M193</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 120mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 120mm	 <p>CM120 A4 Format</p>	
red	grn	l = 232mm																										
blk		wht	w = 168mm																									
		blu2	d = 60mm																									
red	grn	l = 345mm																										
blk		wht	w = 290mm																									
		blu2	d = 120mm																									
	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 232mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 50mm</td></tr> </table>	red	grn	l = 232mm	blk		wht	w = 215mm			blu2	d = 50mm	 <p>CS50 A5 Format</p>															
red	grn	l = 232mm																										
blk		wht	w = 215mm																									
		blu2	d = 50mm																									

The GARD range with translucent lids

	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 232mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 50mm</td></tr> </table>	red	grn	l = 232mm	blk		wht	w = 215mm			blu2	d = 50mm	 <p>CS50T A5 Format</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 60mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 60mm	 <p>CM60T A4 Format</p>
red	grn	l = 232mm																									
blk		wht	w = 215mm																								
		blu2	d = 50mm																								
red	grn	l = 345mm																									
blk		wht	w = 290mm																								
		blu2	d = 60mm																								
	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 262mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 70mm</td></tr> </table>	red	grn	l = 262mm	blk		wht	w = 215mm			blu2	d = 70mm	 <p>CS70T A5 Format</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 90mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 90mm	 <p>CM90T A4 Format</p>
red	grn	l = 262mm																									
blk		wht	w = 215mm																								
		blu2	d = 70mm																								
red	grn	l = 345mm																									
blk		wht	w = 290mm																								
		blu2	d = 90mm																								
	<table border="1"> <tr><td>red</td><td>grn</td><td>l = 262mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 215mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 90mm</td></tr> </table>	red	grn	l = 262mm	blk		wht	w = 215mm			blu2	d = 90mm	 <p>CS90T A5 Format</p>		<table border="1"> <tr><td>red</td><td>grn</td><td>l = 345mm</td></tr> <tr><td>blk</td><td></td><td>wht</td><td>w = 290mm</td></tr> <tr><td></td><td></td><td>blu2</td><td>d = 120mm</td></tr> </table>	red	grn	l = 345mm	blk		wht	w = 290mm			blu2	d = 120mm	 <p>CM120T A4 Format</p>
red	grn	l = 262mm																									
blk		wht	w = 215mm																								
		blu2	d = 90mm																								
red	grn	l = 345mm																									
blk		wht	w = 290mm																								
		blu2	d = 120mm																								

Please quote product codes shown in dimension drawings. Colours: grn = green, blk = black, wht = white, blu = blue, crm = cream, yel = yellow, orang = orange. All dimensions in millimetres

Call us now for more information and to order on telephone: 01622 871 887

www.gardplasticcases.com

E&OE

The PLASTiCASE range









































	red yel	l = 135mm				red	l = 326mm		
	blk	w = 95mm				blk	w = 237mm		
	crm blu1 blu2	d = 32mm				crm blu2	d = 79mm		
	red grn11	l = 196mm				red grn yel	l = 226mm		
	blk wht	w = 62mm				blk grey wht	w = 200mm		
	blu10	d = 28mm				crm blu1 blu2	d = 71mm		
	red grn yel	l = 219mm				red grn yel	l = 339mm		
	blk wht	w = 158mm				blk grey wht	w = 248mm		
	blu10 blu2	d = 41mm				crm blu1 blu2	d = 81mm		
	red grn11	l = 219mm				red	l = 309mm		
	blk wht	w = 158mm				blk	w = 282mm		
	blu10	d = 41mm				crm blu1 blu2	d = 100mm		
	red grn yel	l = 222mm				red yel	l = 350mm		
	blk wht	w = 160mm				blk	w = 250mm		
	blu1 blu2	d = 44mm				crm blu1 blu2	d = 79mm		
	red yel	l = 260mm				red yel	l = 376mm		
	blk	w = 197mm				blk	w = 269mm		
	crm blu1 blu2	d = 45mm				crm blu2	d = 73mm		
	red yel	l = 326mm				red yel	l = 435mm		
	blk wht	w = 244mm				blk	w = 308mm		
	crm blu1 blu2	d = 49mm				crm blu2	d = 90mm		
	red yel	l = 340mm				red	l = 510mm		
	blk	w = 240mm				blk grey	w = 360mm		
	crm blu2	d = 45mm				crm blu2	d = 114mm		
	blk wht	l = 330mm				blk	l = 493mm		
	blk wht	w = 265mm				blk	w = 275mm		
	blu2	d = 58mm				crm blu2	d = 196mm		

The TEKNO range

	blk grey wht	l = 228mm				blk grey wht	l = 387mm		
	CASE colour above with CLIP colour below	w = 157mm				CASE colour above with CLIP colour below	w = 264mm		
	red blk blu	d = 40mm				red blk blu	d = 100mm		
	blk grey wht	l = 244mm				blk grey wht	l = 435mm		
	CASE colour above with CLIP colour below	w = 210mm				CASE colour above with CLIP colour below	w = 327mm		
	red blk blu	d = 66mm				red blk blu	d = 100mm		
	blk grey wht	l = 267mm				blk grey wht	l = 435mm		
	CASE colour above with CLIP colour below	w = 198mm				CASE colour above with CLIP colour below	w = 327mm		
	red blk blu	d = 76mm				red blk blu	d = 116mm		
	blk grey wht	l = 332mm				blk grey wht	l = 435mm		
	CASE colour above with CLIP colour below	w = 246mm				CASE colour above with CLIP colour below	w = 327mm		
	red blk blu	d = 76mm				red blk blu	d = 130mm		

The **STORM** range


all dimensions are internal

	blk grey	l = 241mm			blk grey	l = 432mm	
	yel	w = 191mm			yel	w = 297mm	
	olive orang	d = 152mm			olive orang	d = 157mm	
	blk grey	l = 241mm			blk grey	l = 457mm	
	yel	w = 191mm			yel	w = 330mm	
	olive orang	d = 184mm			olive orang	d = 170mm	
	blk grey	l = 330mm			blk grey	l = 521mm	
	yel	w = 242mm			yel	w = 292mm	
	olive orang	d = 152mm			olive orang	d = 186mm	
	blk grey	l = 381mm			blk grey	l = 508mm	
	yel	w = 267mm			yel	w = 356mm	
	olive orang	d = 152mm			olive orang	d = 196mm	
	blk grey	l = 559mm			blk grey	l = 559mm	
	yel	w = 432mm			yel	w = 432mm	
	olive orang	d = 203mm			olive orang	d = 254mm	
	blk grey	l = 559mm			blk grey	l = 559mm	
	yel	w = 432mm			yel	w = 432mm	
	olive orang	d = 254mm			olive orang	d = 323mm	
	blk grey	l = 559mm			blk grey	l = 737mm	
	yel	w = 432mm			yel	w = 457mm	
	olive orang	d = 323mm			olive orang	d = 267mm	
	blk grey	l = 737mm			blk grey	l = 737mm	
	yel	w = 457mm			yel	w = 457mm	
	olive orang	d = 349mm			olive orang	d = 349mm	
	blk	l = 927mm			blk	l = 927mm	
	olive	d = 152mm			olive	d = 152mm	
	blk	l = 1270mm			blk	l = 1270mm	
	olive	d = 152mm			olive	d = 152mm	

Terms and Conditions of Sale

1. Acceptance by the Seller of any order from the buyer will be subject to these conditions of sale:
2. The acceptance of an order may be revoked (in whole or part) or delivery dates postponed by us without liability in the event of any contingency beyond our control which does or is likely to, in our opinion, prevent, hinder, delay, interrupt or interfere with the fulfilment of the order or any part of it.
3. Payment unless otherwise agreed is strictly nett, and due within 30 days of the date of invoice. The buyer will not be entitled for any reason whatsoever to withhold the whole or any part of the payment when it becomes due, the time hereinbefore mentioned within which the buyer is to pay for the said goods shall be of the essence of these conditions.
4. Notwithstanding that an invoice may be bill of sale the property in the goods shall remain in the sellers until they have received in cash the total contract price
5. The goods will be at the buyer's risk when they are delivered into his possession or that of any person or place of delivery authorised by him.
6. The Seller shall not be liable for any losses sustained by the buyer, or any other person, resultant upon delays in delivery or losses in transit, or for any other reason whatever. If the goods have not been received by the buyer within 10 days of the date of receipt by the buyer of the Sellers invoice, the seller must be informed accordingly, and without further delay.
7. In the event of goods being received damaged or short delivered, the carriers note must be endorsed appropriately, and both the carriers and the sellers notified in writing WITHIN 3 DAYS of the date of receipt. The sellers will not accept liability for any claim if this condition is not strictly adhered to.
8. The sellers reserve the right at any time, and without prior notice, to amend or alter prices or specifications of all goods offered for sale.
9. Time of delivery will be stated on the Sellers acknowledgement of order, and will commence from the date thereon. The time so stated will be for indication only, and will not constitute a contract. Delay in delivery will not entitle the buyer to cancel his order, nor will it provide entitlement by the buyer to any indemnity, penalty, or compensation.
10. The Sellers obligation to deliver goods ordered will be cancelled by circumstances beyond their normal control, such as strikes, floods, fires, machine breakdown or any condition of force majeure.
11. IMPORTANT - The return of any goods properly supplied against your order will not be accepted for any reason unless our authority has been previously agreed in writing.
12. While the Seller will at all times endeavour to ensure that in the manufacture of the goods only the best workmanship and materials will be employed, all express or implied warranties or conditions statutory or otherwise as to quality or fitness for any purpose of the goods, are hereby expressly excluded.
13. Any sample exhibited by the seller to the buyer is so exhibited solely to enable the buyer to judge for himself the quality of the bulk and not so as to constitute a sale by sample.
14. It is the responsibility of the buyer to ensure that the containers bought from us are suitable for his own products.
15. The Seller reserves the right to effect delivery of an amount in units being 5% greater than or 5% less than any precise quantity ordered.
16. No guarantee is implied concerning minor variation in colour or shade of any plastics items supplied.
17. It is the responsibility of the BUYER to arrange insurance of any TOOLING, FIXTURES or ARTWORK held by us for the execution of current or future orders.

WHERE TO FIND US



Gard Plastices Limited

Arnold Business Park
Branbridges Road
East Peckham
Nr. Tonbridge
Kent **TN12 5LG**

T: **01622 871 887**

F: 01622 871 895

E: info@gardplastices.com

W: www.gardplastices.com

*Off A228 at roundabout with B2015 following signpost to East Peckham.
Travel along Hale Street Street, through two width restrictions, after 300 yards
at bridge turn right onto Arnold Business Park. Bear to the left of the warehouses
and continue to rear of estate.*